



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

December 7, 2005

Barry McClellan, City Manager
City of San Jacinto
201 E. Main Street
San Jacinto, CA 92583

RE: **City of Hemet Urban Water Management Plan**

Dear Mr. McClellan,

The Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP). Water suppliers must update their UWMP every five years, solicit and respond to public comments on the updated plan, hold a public hearing to adopt the plan, and, finally, submit the plan to the California Department of Water Resources.

In response to the above regulations, the City of Hemet has prepared a draft 2005 UWMP. This draft plan is now available for public inspection on the City of Hemet website--
www.cityofhemet.org.

The Hemet City Council will consider adoption of the draft 2005 UWMP during a public hearing scheduled for December 20, 2005 at 7:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of our draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon --- lnixon@cityofhemet.org --- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by December 20, 2005.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

December 7, 2005

Anthony J. Pack, General Manager
Eastern Municipal Water District
P.O. Box 8300
Perris, CA 92572-8300

RE: City of Hemet Urban Water Management Plan

Dear Mr. Pack,

The Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP). Water suppliers must update their UWMP every five years, solicit and respond to public comments on the updated plan, hold a public hearing to adopt the plan, and, finally, submit the plan to the California Department of Water Resources.

In response to the above regulations, the City of Hemet has prepared a draft 2005 UWMP. This draft plan is now available for public inspection on the City of Hemet website--
www.cityofhemet.org.

The Hemet City Council will consider adoption of the draft 2005 UWMP during a public hearing scheduled for December 20, 2005 at 7:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of our draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon --- lnixon@cityofhemet.org --- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by December 20, 2005.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department

cc: Elizabeth Lovstead



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

December 7, 2005

Thomas W. Wagoner, General Manager
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544

RE: City of Hemet Urban Water Management Plan

Dear Mr. Wagoner,

The Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP). Water suppliers must update their UWMP every five years, solicit and respond to public comments on the updated plan, hold a public hearing to adopt the plan, and, finally, submit the plan to the California Department of Water Resources.

In response to the above regulations, the City of Hemet has prepared a draft 2005 UWMP. This draft plan is now available for public inspection on the City of Hemet website--
www.cityofhemet.org.

The Hemet City Council will consider adoption of the draft 2005 UWMP during a public hearing scheduled for December 20, 2005 at 7:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of our draft plan. Please direct any comments or questions to:
City of Hemet Public Works Engineering Department
Attention: Linda Nixon --- lnixon@cityofhemet.org --- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by December 20, 2005.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

December 7, 2005

Larry Parrish
Riverside County Executive Office
4080 Lemon Street, 4th Floor
Riverside, CA 92501-3651

RE: **City of Hemet Urban Water Management Plan**

Dear Mr. Parrish,

The Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP). Water suppliers must update their UWMP every five years, solicit and respond to public comments on the updated plan, hold a public hearing to adopt the plan, and, finally, submit the plan to the California Department of Water Resources.

In response to the above regulations, the City of Hemet has prepared a draft 2005 UWMP. This draft plan is now available for public inspection on the City of Hemet website--
www.cityofhemet.org.

The Hemet City Council will consider adoption of the draft 2005 UWMP during a public hearing scheduled for December 20, 2005 at 7:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of our draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon --- lnixon@cityofhemet.org --- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by December 20, 2005.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

January 26, 2006

Barry McClellan, City Manager
City of San Jacinto
201 E. Main Street
San Jacinto, CA 92583

RE: City of Hemet Urban Water Management Plan - Revised Draft

Dear Mr. McClellan,

As you know, the Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP), which must be updated every five years and adopted after a public hearing.

In December we sent you a notice regarding a public hearing to consider the adoption of the City of Hemet 2005 Urban Water Management Plan. This hearing did not take place, as staff determined that additional revisions were needed prior to consideration by the City Council. The appropriate changes have been completed and a revised draft plan is now available for public inspection on the City of Hemet website-- www.cityofhemet.org.

The Hemet City Council will consider adoption of the revised draft 2005 UWMP during a public hearing scheduled for February 14, 2006 at 1:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of the revised draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon --- lnixon@cityofhemet.org --- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by February 13, 2006.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

January 26, 2006

Anthony J. Pack, General Manager
Eastern Municipal Water District
P.O. Box 8300
Perris, CA 92572-8300

RE: City of Hemet Urban Water Management Plan - Revised Draft

Dear Mr. Pack,

As you know, the Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP), which must be updated every five years and adopted after a public hearing.

In December we sent you a notice regarding a public hearing to consider the adoption of the City of Hemet 2005 Urban Water Management Plan. This hearing did not take place, as staff determined that additional revisions were needed prior to consideration by the City Council. The appropriate changes have been completed and a revised draft plan is now available for public inspection on the City of Hemet website-- www.cityofhemet.org.

The Hemet City Council will consider adoption of the revised draft 2005 UWMP during a public hearing scheduled for February 14, 2006 at 1:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of the revised draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon -- lnixon@cityofhemet.org -- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by February 13, 2006.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department

CC: Elizabeth Lovstead



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

January 26, 2006

Thomas W. Wagoner, General Manager
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544

RE: City of Hemet Urban Water Management Plan - Revised Draft

Dear Mr. Wagoner,

As you know, the Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP), which must be updated every five years and adopted after a public hearing.

In December we sent you a notice regarding a public hearing to consider the adoption of the City of Hemet 2005 Urban Water Management Plan. This hearing did not take place, as staff determined that additional revisions were needed prior to consideration by the City Council. The appropriate changes have been completed and a revised draft plan is now available for public inspection on the City of Hemet website-- www.cityofhemet.org.

The Hemet City Council will consider adoption of the revised draft 2005 UWMP during a public hearing scheduled for February 14, 2006 at 1:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of the revised draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon -- lnixon@cityofhemet.org -- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by February 13, 2006.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department



City of Hemet

PUBLIC WORKS DEPARTMENT • ENGINEERING DIVISION

510 E. Florida Ave. • Hemet, CA 92543 • (951) 765-2360 • FAX (951) 765-3898

January 26, 2006

Larry Parrish
Riverside County Executive Office
4080 Lemon Street, 4th Floor
Riverside, CA 92501-3651

RE: City of Hemet Urban Water Management Plan - Revised Draft

Dear Mr. Parrish,

As you know, the Urban Water Management Planning Act (Act) requires urban water suppliers, including the City of Hemet, to describe and evaluate sources of water supply, efficient uses of water, demand management measures, implementation strategy and schedule, and other relevant information and programs in an Urban Water Management Plan (UWMP), which must be updated every five years and adopted after a public hearing.

In December we sent you a notice regarding a public hearing to consider the adoption of the City of Hemet 2005 Urban Water Management Plan. This hearing did not take place, as staff determined that additional revisions were needed prior to consideration by the City Council. The appropriate changes have been completed and a revised draft plan is now available for public inspection on the City of Hemet website-- www.cityofhemet.org.

The Hemet City Council will consider adoption of the revised draft 2005 UWMP during a public hearing scheduled for February 14, 2006 at 1:00 PM in the Council Chambers at 450 E. Latham Avenue, Hemet, CA 92543.

We encourage your review of the revised draft plan. Please direct any comments or questions to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon -- lnixon@cityofhemet.org -- (951) 765-3880
510 E. Florida Avenue, Hemet, CA 92544

Both email and written comments are due by February 13, 2006.

Sincerely,

Linda Nixon
Management Assistant
Public Works Engineering Department



February 13, 2006

Board of Directors

President

Randy A. Record

Vice President

David J. Slawson

Richard R. Hall

Rodger D. Siems

Ronald W. Sullivan

Board Secretary

Rosemarie V. Howell

General Manager

Anthony J. Pack

Director of the

Metropolitan Water

District of So. Calif.

Randy A. Record

Treasurer

Joseph J. Kuebler, CPA

Legal Counsel

Redwine and Sherrill

Linda Nixon
City of Hemet
Public Works Department
510 East Florida Ave
Hemet, CA, 92543

Subject: 2005 Urban Water Management Plan for the City of Hemet

Dear Ms. Nixon;

Thank you for the opportunity to comment on the City of Hemet's 2005 Urban Water Management Plan (UWMP). I have reviewed the plan and found it to agree with Eastern Municipal Water District's UWMP. Successful implementation of the Hemet/San Jacinto Water Management Plan, which will require recharge of the basin, will create a reliable and adequate source of water supply in the area. In EMWD's UWMP, recharge water is identified as being imported from Metropolitan Water District (MWD). Based on the MWD 2005 Regional Urban Water Management Plan, EMWD believes recharge water will be available through 2030.

EMWD, as an emergency supplier to the City of Hemet, also encourages the efficient use of water. As the Demand Management Measures (DMMs) are implemented or scheduled for implementation, EMWD is eager to work with the City to increase conservation and encourage efficient water use.

Thank you again for the opportunity to review you UWMP. EMWD looks forward to continued partnership in the Hemet/San Jacinto Water Management Plan completion and implementation. EMWD also encourages continued conservation and water efficiency efforts.

Sincerely,

Elizabeth Lovsted
Facilities Planner/Engineer
EL:lar

THE PRESS-ENTERPRISE

Hemet News

3512 Fourteenth Street
Riverside CA 92501-3878
951-763-3411
951-763-3410 FAX

**PROOF OF PUBLICATION
(2010, 2015.5 C.C.P.)**

Publication(s): Hemet-San Jacinto Zone
Internet

PROOF OF PUBLICATION OF

Ad Desc.: Approval of 2005 Urban Water Mgmt

I am a citizen of the United States and a resident of the County aforesaid; I am over the age of eighteen years and not a party to or interested in the above entitled matter. I am an authorized representative of THE HEMET NEWS, a newspaper of general circulation, printed and published weekly in the city of Hemet, County of Riverside, and which newspaper has been adjudicated a newspaper of general circulation by the Superior Court of the County of Riverside, State of California, under date of October 10, 1927, Case Number 17137; that the notice, of which the annexed is a printed copy, has been published in each regular and entire issue of said newspaper and not in any supplement thereof on the following dates, to wit:

01-31-06

02-07-06

I Certify (or declare) under penalty of perjury that the foregoing is true and correct.

Date: Feb. 7, 2006
At: Riverside, California



HEMET, CITY OF/ PUBLIC WORKS DEP
510 E FLORIDA AVE
HEMET CA 92543

Ad #: 7425405

PO #:

Agency #: _____

Ad Copy:

NOTICE OF PUBLIC HEARING TO CONSIDER APPROVAL OF THE CITY OF HEMET 2005 URBAN WATER MANAGEMENT PLAN

The City of Hemet provides drinking water to residential and commercial customers in a 5.25 square mile service area, which extends generally from Menlo Avenue on the north to Stetson Avenue on the south and from Sanderson Avenue on the west to San Jacinto Street on the east.

The City of Hemet has prepared a draft of the 2005 Urban Water Management Plan. This plan is an update to the City's 2000 Urban Water Management Plan and has been developed in response to Water Code Sections 10610 through 10656 of the Urban Water Management Planning Act. This plan includes information concerning water supply, demand and reliability in the City's service area for the next twenty-five years. The City of Hemet 2005 Urban Water Management Plan is available for review on the City's website, www.cityofhemet.org.

A public meeting of the Hemet City Council to consider approval of the City of Hemet 2005 Urban Water Management Plan will be held on February 14, 2006 at 1:00 PM or as soon thereafter as possible, in the Council Chambers:

450 E. Latham Avenue
Hemet, CA 92543

Public input is encouraged and appreciated and will be considered in the final 2005 Urban Water Management Plan. Comments on or questions about the Urban Water Management Plan should be directed to:

City of Hemet Public Works Engineering Department
Attention: Linda Nixon
510 E. Florida Avenue
Hemet, CA 92543
lnixon@cityofhemet.org

Both email and written comments are due by February 13, 2006.
1/31,2/7